

COPD annual cycle of care

The COPD annual cycle of care includes three practice appointments, one held every four months.

This document has been prepared by COORDINARE
- SENSW PHN, in collaboration with the local health
districts, general practitioners, respiratory team
specialists, pharmacists, and allied health providers.
Review of best practice literature has informed these
recommendations.



Change to Participation in an annual cycle of care assists people living with COPD to better manage their condition.

The annual cycle of care appointments will include:

1. Preparation/review of management plans

- GP Management Plan (within Inca)
- COPD Action Plan (within Inca)
- Discuss Advance Care Planning

2. Health assessments

- Spirometry
- Review of medications
- Pulse Oximetry
- Vaccination status

3. Lifestyle discussions

- Physical activity
- Healthy eating
- Smoking cessation
- Emotional health

4. Referrals as indicated for

- Oxygen therapy
- Bone densitometry
- Sleep apnoea assessment
- Pharmacist home medication review

COPD annual cycle of care | 3

Cycle of care checklist guide for adults



Inhaler technique / medication check	When	Check		
Smoking cessation Pulse oximetry Blood pressure Weight Emotional health - the KIO Survey Physical activity education Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey, Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild – 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)	Every 4 months			
Pulse oximetry Blood pressure Weight Emotional health - the KIO Survey Physical activity education Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey, Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild - 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Inhaler technique / medication check		
Blood pressure Weight Emotional health - the KIQ Survey Physical activity education Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey. Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild – 60-80% predicted Moderate - 40-59% predicted Severe - < 40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Smoking cessation		
Weight Emotional health - the klo Survey Physical activity education Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey, Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild – 60-80% predicted Moderate - 40-59% predicted Severe - < 40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Pulse oximetry		
Emotional health - the KIO Survey Physical activity education Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey, Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild - 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Blood pressure		
Physical activity education Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey. Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild - 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Weight		
Offer Pulmonary Rehab if beneficial Symptom control assessment - the CAT Survey. Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild – 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Emotional health - the <u>K10 Survey</u>		
Symptom control assessment - the CAT Survey. Is home oxygen required? Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild - 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Physical activity education		
Every 12 months Above plus: Spirometry test to classify severity of COPD according to FEVI results Mild – 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Offer Pulmonary Rehab if beneficial		
Spirometry test to classify severity of COPD according to FEVI results Mild – 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Symptom control assessment - the CAT Survey. Is home oxygen required?		
Mild – 60-80% predicted Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)	Every 12 months	Above plus:		
Moderate - 40-59% predicted Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Spirometry test to classify severity of COPD according to FEV1 results		
Severe - <40% predicted Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Mild – 60-80% predicted		
Consider bone densitometry Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Moderate - 40-59% predicted		
Consider Pharmacist Home Medication Review Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Severe - <40% predicted		
Vaccinations: Are the following vaccines indicated? Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Consider bone densitometry		
Influenza COVID Pneumonia Shingles Pertussis (private vaccine)		Consider Pharmacist Home Medication Review		
COVID Pneumonia Shingles Pertussis (private vaccine)		<u>Vaccinations:</u> Are the following vaccines indicated?		
Pneumonia Shingles Pertussis (private vaccine)		Influenza		
Shingles Pertussis (private vaccine)		COVID		
Pertussis (private vaccine)		Pneumonia		
		Shingles		
Sleep apnoea assessment		Pertussis (private vaccine)		
		Sleep apnoea assessment		
Review of COPD Action Plan and GP Management Plan		Review of COPD Action Plan and GP Management Plan		
Discuss Advance Care Planning		Discuss Advance Care Planning		

Cycle of care



Review of medications/ Inhaler technique	Every 4 months	Check appropriate use of medications and inhaler technique.
Smoking	Every 4 months	Promote and support smoking cessation. Check maintenance of non-smoking status for patients who have previously quit smoking.
Pulse oximetry	Every 4 months	Consider referral to a respiratory specialist for further assessment for long term oxygen therapy assessment if: Sa02 < 92% in room air (when COPD is stable) FEV1 < 30% predicted Cyanosis Polycythemia Peripheral oedema Raised JVP
Blood pressure	Every 4 months	Ideal target - < 130/80 mmHg
Healthy eating review	Every 4 months	Discuss a healthy eating plan. Obesity in patients with COPD is associated with sleep apnoea, CO ² retention, and cor pulmonale.
Emotional health	Every 4 months	Discuss emotional health and well-being. Patient should complete a Quality-of-Life survey. Discuss End of Life Care Plan/Advanced Care Planning, as and when appropriate.
Physical activity	Every 4 months	Encourage at least 30 minutes of moderate physical activity, five or more days a week, 2-3 sessions with resistance training, and minimize time sitting. Offer pulmonary rehabilitation if patient has had hospital admission.
Exercise tolerance		6-minute walk tolerance test.
COPD symptom control	Every 4 months	Check patient's understanding of their COPD self-management plan. Is home oxygen required?
Medication review	Every 12 months	Consider referral for a Home Medication Review by a pharmacist.
Spirometry test	Every 12 months	Assess disease progression and response to therapy.
Osteoporosis	Every 12 months	Minimise risk factors for osteoporosis and consider bone densitometry. Correct any deficiency in vitamin D status.
Vaccinations	Every 12 months	Ensure appropriate vaccinations are up to date.
Sleep apnoea	Every 12 months	Discuss sleep quality and patterns. Consider referral to a sleep apnoea clinic.
COPD Action Plan and GP Management Plan	Every 12 months	Review to ensure these plans are appropriate and up to date.
Advance Care Planning	Every 12 months	Check to see if patient has an Advance Care Plan loaded onto My Health Record – if not, discuss further.

4 | COPD annual cycle of care COPD annual cycle of care

More information and support



Algorithm - Managing Exacerbations

https://lungfoundation.com.au/resources/managingexacerbations-algorithm/

Lung Foundation

https://lungfoundation.com.au

Better Living with COPD

Better living with COPD - Lung Foundation Australia

Support groups

https://lungfoundation.com.au/patients-carers/ support-services/peer-support/

One-on-one peer support

https://lungfoundation.com.au/patients-carers/support-services/peer-support/peer-connect/

Respiratory Care Nurse

1800 654 301

Lungs in Action

<u>Lungs in Action - Lung Foundation Australia</u>

Active & Healthy

https://www.activeandhealthy.nsw.gov.au/

Head to Health Hub

1800 372 000 (option 2)

Healthdirect

1800 022 222

Pharmacy delivery service

https://www.findapharmacy.com.au/our-services/ delivery-services

Sleepiness Scale

<u>Epworth Sleepiness Scale - Sleep Services Australia</u> <u>Sleep Apnoea</u>

International Primary Care Respiratory Group

https://www.ipcrg.org/desktophelpers

Quitline

13 78 48

Get Healthy Service

https://www.gethealthynsw.com.au/

HealthPathways

ACT and Southern NSW

Username: together **Password:** forhealth

Illawarra Shoalhaven

Username: connected **Password:** 2pathways

Top tips



- Schedule the remaining two four monthly appointments prior to the first appointment. These appointments are very important for assessing your patient's health and risks of COPD-related complications.
- Follow up the scheduled appointments via a phone call a week out.
- Introduce the person to their practice contact.

Notes

BOOK BY MODEL TO THE PARTY OF T






This information is intended as a guide only.

6 | COPD annual cycle of care

Care pathway flowchart







COORDINARE – South Eastern NSW PHN

Phone: 1300 069 002

Website: www.coordinare.org.au

Email: info@coordinare.org.au