

medicare

Australian Immunisation Register Immunisation medical exemption

Purpose of this form

Use this form if you are a general practitioner and would like to notify the Australian Government Department of Human Services of an individual who has a vaccine exemption due to a medical contraindication or natural immunity.

Filling in this form

- Please use black or blue pen
- Print in BLOCK LETTERS
- Mark boxes like this with a ✓ or ✗

Returning your form

Check that all required questions are answered and that the form is signed and dated.

Send the completed and signed form to:

Department of Human Services Australian Immunisation Register PO Box 7852 Canberra ACT 2610 or Fax: 08 9254 4810

For more information

Go to **humanservices.gov.au/hpair** or call **1800 653 809** Monday to Friday, between 8.00 am and 5.00 pm, local time.

Note: Call charges may apply.

Individual's details

1	Medicare card n	umber -			Ref no.
2	Family name				
	First given name)			
	Second given na	ime			
3	Postal address				
			P	ostcode	
		1	1		
4	Date of birth		/		
5	Gender	Male 🗌	Female		

Va	ccines exempt due t	to medical cont	raindication		
gı w	ne medical basis for vaccin uidance in <i>The Australian I</i> hat constitutes a valid me rovided on page 3 of this f	<i>Immunisation Handb</i> dical exemption to v	oook. Advice on		
6	contraindication bec previous anaph / / significant imm	on this form has a: e exemption due to n cause of the followir nylaxis (to vaccine/va	ıg: accine component)		
	vaccines only)				
7	 temporary vaccine exemption until / / due to a non-permanent contraindication because of the following: acute major medical illness significant immunocompromise of short duration (live attenuated vaccines only) the individual is pregnant (live attenuated vaccines only) 				
	Priorix-Tetra RotaTeq Inactivated				
	Adacel Adacel Adacel Adacel Adacel Polio ADT Booster Boostrix BOOStrix IPV ADD Engerix B HBVax II	Hexaxim Infanrix Infanrix Hexa Infanrix IPV IPOL Menactra Menitorix	Menveo Neisvac-C Prevenar 13 Pneumovax 23 Quadracel Tripacel		

Other vaccine 🕒 Specify



CLK0IM011 1609

Antigens exempt due to natural immunity

Natural immunity to a disease is a valid exemption to vaccination for the antigens listed below. Exemption to a combination of vaccine(s) on the basis of natural immunity is only valid if immunity is confirmed for all vaccine antigens. Advice on what constitutes acceptable evidence of natural immunity is provided on page 3 of this form.				
8 The individual has a natural im Hepatitis B Measles	nmunity to: Mumps Rubella	Varicella		
This has been confirmed by:				
Laboratory testing D				
Physician-based clinical diag		/ /		

Privacy notice

9 Your personal information is protected by law (including the *Privacy Act 1988*) and is collected by the Australian Government Department of Human Services for administrating payments and services. This information is required to assist with your application or claim.

Your information may be used by the Department, or given to other parties: where you have agreed to that; or where it is required or authorised by law (including for the purpose of research or conducting investigations).

You can get more information about the way in which the Department will manage your personal information, including our privacy policy, at **humanservices.gov.au/privacy**

Provider's declaration

10 I declare that:

• the information I have provided in this form is complete and correct.

I understand that:

• giving false or misleading information is a serious offence.

Medicare provider number

	-	-		
1 1				 4
1 1	2	÷		
1 1	1. Contract of the second seco	1		1
1 1	1	1		1
L .				

Provider's signature

Þ

Date

/ /

What is considered a valid medical contraindication to immunisation?

The medical basis for vaccine exemption is to be based on guidance in *The Australian Immunisation Handbook* which is available on the Immunise Australia website **immunise.health.gov.au**

Medical contraindications include:

- anaphylaxis following a previous dose of the relevant vaccine
- anaphylaxis following any component of the relevant vaccine
- significant immunocompromise (for live attenuated vaccines only).

Note: For further details, including what is considered significant immunocompromise, see *The Australian Immunisation Handbook*. For example, HIV-infected persons in whom immunocompromise is mild can be given MMR and varicella vaccines.

No child should be denied the benefits of immunisation by withholding vaccines for inappropriate reasons. A comprehensive list of false contraindications to vaccination is provided in *The Australian Immunisation Handbook*.

- Egg allergy, even severe, is not necessarily a valid exemption for any vaccine routinely recommended for children.
- Presence of a chronic underlying medical condition (apart from significant immunocompromise) is not a valid vaccine exemption.
- Family history of any adverse events following immunisation is not a valid vaccine exemption.

In what circumstances should a vaccine be temporarily deferred?

There are some circumstances where the administration of a vaccine should be deferred. These include:

- acute major medical condition
- significantly impaired immune function that is anticipated to be of short duration
- pregnancy (for live attenuated vaccines only).

While vaccination should be deferred in persons with acute febrile illness (current $T \ge 38.5^{\circ}$ C) or other self-limiting acute systemic illness, this would usually be for short periods only and not require completion of this form. For detailed advice check *The Australian Immunisation Handbook*.

What evidence should I consider when assessing a possible natural immunity?

A previous infection is not a contraindication to immunisation against that same disease. Laboratory testing (via serology, antigen detection or polymerase chain reaction [PCR]) can reliably provide evidence of immunity to hepatitis B, varicella, measles, mumps and rubella. A physician-based clinical diagnosis is accepted although is less reliable than laboratory testing as these diseases are now uncommon among Australian children due to the widespread immunisation and other infections can have similar clinical presentations.

Who do I contact if I am uncertain whether to vaccinate or not?

Further advice can be sought from your state or territory health authority (see contact details below). In most states and territories specialist immunisation clinics exist which are equipped to assist with complex issues, such as how to manage patients who have experienced a previous adverse event following immunisation or who have an underlying medical condition.

Resources for communicating the risks and benefits of immunisation

The following resources are available to facilitate discussion on the risks and benefits of immunisation with patients and/or their carers, including those who may have concerns relating to vaccines and immunisation:

- The summary table inside the back cover of the *The Australian Immunisation Handbook* providing 'Comparison of the effects of diseases and the side effects of NIP vaccines'
- Other resources available at immunise.health.gov.au
- Immunisation Myths and Realities: a guide for providers (5th edition) immunise.health.gov.au/internet/immunise/ publishing.nsf/Content/uci-myths-guideprov
- Vaccine preventable disease and vaccine safety factsheets prepared by the National Centre for Immunisation Research and Surveillance

ncirs.edu.au/provider-resources/ncirs-fact-sheets/

Contact details for state and territory government health authorities

Australian Capital Territory Immunisation Enquiry Line	02 6205 2300
New South Wales (to contact your local public health unit)	1300 066 055
Northern Territory Centre for Disease Control	08 8922 8044
Queensland (to contact your local public health unit)	13 HEALTH (13 4325 84)
South Australia	1300 232 272
Tasmania	1800 671 738
Victoria	1300 882 008
Western Australia (after hours Infectious Diseases	08 9321 1312
Emergency)	08 9328 0553